<u> </u>	CONFIL	DENTIAL	elease 2012/02/16 : CIA	-1(5) 70-03-42-	12b-3/17)
		3.0	DATE 14/80 BY 3.7	10 March	A	2:
		DOC 37 REV ORIG COMP 35 ORIG CLASS 5 JUST 22	DATE BY SUPPLIES BY SUPPLIES BY TYPE OF TYPE OF THE PROPERTY SUPPLIES OF THE PROPERTY OF THE P	HR 10-2	suffer the	2
Attention:				nut	ν ν	2
Subject:	Revised	Proposal for Re	eceiving Antenna			
Reference:	(a)	letter date	ed 19 February 1959	,		2
Enclosure:	(1) Thr	ree (3) copies (detailed cost breakd	own		
	(2) Two	(2) drawings,	Figure 1 and Figure	2 (one copy	or each)	
Gentlemen:						25
revised its that was fur \$4,277.36, i spray, plus of this amou	technical a rnished unde including fi reducing th unt is furni	and cost plus for reference (a ixed fee, by de ne number of el- ished as enclos		r the receiv l has been r ntal tests e etailed cost	evised to except salt breakdown	
The revised requirements	proposal is s that were	predicated up set forth unde	on deleting the foll reference (a):	owing from t	he technical	
(1) Or "Item B. Tem	n the first perature, (page the requi	rements under the land D. Shock" are del	st paragraph eted in thei	entitled r entirety.	
(2) On environments substituted	al tests are	nd 3, the parage deleted in th	raphs pertaining to eir entirety, and th	electrical t e following	ests and are	
	LECTRICAL TE	ESTS				
1.0 E	Tholutown					
1. mounte	.l <u>Patterns</u> d on a simul	E. Both E plan lated mast cros	e and H plane patter s-arm will be measur y band.	ns of the ar ed at the er	ntenna nds and	
mounte center	.l <u>Patterns</u> d on a simul of the spec	lated mast croscified frequence	s-arm will be measur y band. Inding wave ratio wil	ed at the er	nds and ed at	
mounted center 1 the ou	.l <u>Patterns</u> d on a simul of the spec	lated mast crossified frequence. The voltage staff the antenna at this document	s-arm will be measur y band.	l be measure or of the spe	nds and ed at	

Declassified in Part - Sanitized Copy Approved for Release 2012/02/16 : CIA-RDP78-03424A000800030037-2

of its contents in any manner to an unauthorized

CONTROL NUMBER CA3-67-1

Declassified in Part - Sanitized Copy Approved for Release 2012/02/16: CIA-RDP78-03424A000800030037-2



To:	-

10 March 1959

25X1

25X1

1.3 Gain. The gain of the antenna, relative to an isotropic source (or a standard reference dipole) will be measured at the ends of the specified frequency band.

2.0 ENVIRONMENTAL TESTS

2.1 <u>Salt Spray Test</u>. The antenna shall be subjected to the salt spray test described in paragraph 4.5, MIL-E-5422D (50 hour test).

All other terms and conditions of reference (a), except as amended herein, remain unchanged.

Very truly	yours,
Contract A	dministrator

ATE:jfb

SECRET CONFIDENTIAL'

This document contains information affecting the national defense of the United States within the meaning of the Espianage Laws. Title 18, U.S.C., Sections 703 and 794. Its transmission or the revolution of its contents in any manner to an unauthorized person is prohibited by law.






FIGURE 1




FIGURE 2